

TABELA ROBÓT ZIEMNYCH

Przebudowa drogi gminnej Michałów – Betlejem od km 0+000 do km 2+000, długości 2000mb

kilometr	hektometr	Powierzchnia		Średnia powierzchnia		Odległość	Objętość		Zużycie na miejscu	Nadmiar objętości		Suma algebraiczna	
		Wykop +	Nasyp -	Wykop +	Nasyp -		Wykop +	Nasyp -		Wykop +	Nasyp -	-	+
		m ²		m ²			mb	m ³		m ³	m ³		m ³
a	b	c	d	e	f	g	h	i	j	k	l	ł	m
0	400	2,7	0,27	1,8	0,695	50	90,0	34,75	34,75	55,25	-		
	450	0,9	1,12	0,545	1,37	50	27,25	68,5	27,25	-	41,25		
	500	0,19	1,62	3,365	1,065	50	168,25	53,25	53,25	115,0	-		
	550	6,54	0,51	5,605	1,59	50	280,25	79,5	79,5	200,75	-		
	600	4,67	2,67	2,825	4,47	50	141,25	223,5	141,25	-	82,25		
	650	0,98	6,27	0,64	7,305	50	32,0	365,25	32,0	-	333,25		
	700	0,3	8,34	0,385	7,765	50	19,25	388,25	19,25	-	369,0		
	750	0,47	7,19	2,65	5,3	30	79,5	159,0	79,5	-	79,5		
	780	4,83	3,41	5,775	2,76	20	115,5	55,2	55,2	60,3	-		
	800	6,72	2,11	3,36	3,145	30	100,8	94,35	94,35	6,45	-		

	830	-	4,18	-	3,45	20	-	69,0	-	-	69,0		
	850	-	2,72	0,05	2,305	50	2,5	115,3	2,5	-	112,8		
	900	0,1	1,89	0,05	2,225	50	2,5	111,3	2,5	-	108,8		
	950	-	2,56	-	2,315	50	-	115,8	-	-	115,8		
1	000	-	2,07	-	3,095	60	-	185,7	-	-	185,7		
	060	-	4,12	-	4,875	40	-	195,0	-	-	195,0		
	100	-	5,63	0,215	5,305	50	10,75	265,25	10,75	-	254,5		
	150	0,43	4,98	0,405	4,205	50	20,25	210,25	20,25	-	190,0		
	200	0,38	3,43	4,04	3,465	50	202,0	173,25	173,25	28,75	-		
	250	7,7	3,5	5,6	3,18	50	280,0	159,0	159,0	121,0	-		
	300	3,5	2,86	5,145	1,675	50	257,25	83,75	83,75	173,5	-		
	350	6,79	0,49	4,555	0,545	50	227,75	27,25	27,25	200,5	-		
	400	2,32	0,6	4,23	1,075	50	211,5	53,75	53,75	157,75	-		
	450	6,14	1,55	6,78	2,065	50	339,0	103,3	103,3	235,7	-		
	500	7,42	2,58	5,37	1,96	50	268,5	98,0	98,0	170,5	-		
	550	3,32	1,34	3,035	1,5	50	151,75	75,0	75,0	76,75	-		
	600	2,75	1,66	3,32	1,13	40	132,8	45,2	45,2	87,6	-		
	640	3,89	0,6	6,73	0,485	60	403,8	29,1	29,1	374,7	-		
	700	9,57	0,37	4,825	0,88	50	241,25	44,0	44,0	197,25	-		

	750	0,08	1,39	0,11	1,45	25	2,75	36,25	2,75	-	33,5		
	775	0,14	1,51	0,09	1,74	25	2,25	43,5	2,25	-	41,25		
	800	0,04	1,96	0,04	1,66	50	2,0	83,0	2,0	-	81,0		
	850	0,04	1,35	0,02	2,65	50	1,0	132,5	1,0	-	131,5		
	900	-	3,95	1,625	1,98	50	81,25	99,0	81,25	-	17,75		
	950	3,25	-	3,605	-	50	180,25	-	-	180,25	-		
2	000	3,96	-										
							4075,15	4075,00	1633,15	2442,00	2441,85		

Obliczył: